

Drill Bay	Hole	From (ft.)	To (ft.)	Interval (ft.)	Au opt ⁽¹⁾	Ag opt ⁽²⁾	From (m)	To (m)	Interval (m)	Au g/t	Ag g/t	AuEq Oz. ⁽³⁾
1	LUGC15-001	283.0	293.0	10.0	0.175	1.427	86.3	89.3	3.0	6.00	48.90	0.193
1	Includes	288.0	293.0	5.0	0.268	1.753	87.8	89.3	1.5	9.19	60.10	0.290
1	LUGC15-001 ⁽⁴⁾	358.0	363.0	5.0	1.269	0.352	109.1	110.6	1.5	43.50	12.07	1.273
1	LUGC15-002	157.0	161.0	4.0	0.137	2.564	47.9	49.1	1.2	4.70	87.90	0.170
1	LUGC15-002	219.0	221.0	2.0	0.762	2.704	66.8	67.4	0.6	26.12	92.70	0.797
1	LUGC15-003	44.0	49.0	5.0	0.319	0.373	13.4	14.9	1.5	10.94	12.79	0.324
1	LUGC15-005	81.5	86.5	5.0	0.096	3.100	24.8	26.4	1.5	3.29	106.27	0.136
1	LUGC15-005	114.0	122.0	8.0	0.115	0.415	34.7	37.2	2.4	3.94	14.22	0.120
1	Includes	114.0	116.0	2.0	0.290	0.790	34.7	35.4	0.6	9.94	27.08	0.300
1	LUGC15-005	268.0	270.0	2.0	0.354	1.875	81.7	82.3	0.6	12.14	64.28	0.378
1	LUGC15-005	302.0	307.0	5.0	0.171	0.212	92.0	93.6	1.5	5.86	7.27	0.174
1	LUGC15-005	312.0	317.0	5.0	0.107	0.426	95.1	96.6	1.5	3.67	14.60	0.112
1	LUGC15-005	322.0	327.0	5.0	0.096	0.181	98.1	99.7	1.5	3.29	6.21	0.098
1	LUGC15-005	370.0	374.0	4.0	0.093	0.904	112.8	114.0	1.2	3.19	30.99	0.105
1	LUGC15-005	382.0	387.0	5.0	0.083	0.312	116.4	118.0	1.5	2.85	10.70	0.087
1	LUGC15-005	441.0	447.0	6.0	0.094	1.143	134.4	136.2	1.8	3.22	39.18	0.109
1	LUGC15-007	119.0	123.5	4.5	0.391	0.484	36.3	37.6	1.4	13.40	16.59	0.397
1	LUGC15-007	209.0	214.0	5.0	0.083	2.088	63.7	65.2	1.5	2.85	71.58	0.110
1	LUGC15-008	187.9	193.0	5.1	0.147	0.099	57.3	58.8	1.6	5.04	3.39	0.148
2	LUGC15-006	331.0	339.0	8.0	0.141	1.452	100.9	103.3	2.4	4.82	49.77	0.159
2	Includes	331.0	333.5	2.5	0.318	1.771	100.9	101.7	0.8	10.90	60.71	0.341
2	LUGC15-006	358.5	365.5	7.0	0.121	0.549	109.3	111.4	2.1	4.16	18.80	0.128
2	LUGC15-010	159.0	164.0	5.0	0.100	0.598	48.5	50.0	1.5	3.43	20.50	0.108
2	LUGC15-010	168.0	173.0	5.0	0.090	0.446	51.2	52.7	1.5	3.09	15.29	0.096
2	LUGC15-010	176.5	181.0	4.5	0.126	0.785	53.8	55.2	1.4	4.30	26.89	0.136
2	LUGC15-012	158.0	163.0	5.0	0.083	0.192	48.2	49.7	1.5	2.85	6.58	0.085
2	LUGC15-013	118.0	122.0	4.0	0.104	4.000	36.0	37.2	1.2	3.57	137.13	0.155
2	LUGC15-015	42.0	45.0	3.0	0.104	1.161	12.8	13.7	0.9	3.57	39.80	0.119
2	LUGC15-015	117.5	121.0	3.5	0.198	0.076	35.8	36.9	1.1	6.79	2.61	0.199
2	LUGC15-015 ⁽⁵⁾	169.5	171.0	1.5	1.416	0.848	51.7	52.1	0.5	48.56	29.08	1.427
2	Includes	169.5	170.6	1.1	1.602	0.933	51.7	52.0	0.3	54.92	31.98	1.614
2	LUGC15-015	260.0	280.0	20.0	0.345	1.140	79.2	85.3	6.1	11.83	39.09	0.360
2	Includes	260.0	263.0	3.0	0.424	1.466	79.2	80.2	0.9	14.54	50.26	0.443

Drill Bay	Hole	From (ft.)	To (ft.)	Interval (ft.)	Au opt ⁽¹⁾	Ag opt ⁽²⁾	From (m)	To (m)	Interval (m)	Au g/t	Ag g/t	AuEq Oz. ⁽³⁾
2	Includes	264.5	270.5	6.0	0.446	1.169	80.6	82.4	1.8	15.30	40.08	0.461
2	Includes	273.0	280.0	7.0	0.386	0.882	83.2	85.3	2.1	13.24	30.25	0.397
2	LUGC15-015	287.0	288.5	1.5	0.132	1.782	87.5	87.9	0.5	4.53	61.09	0.155
2	LUGC15-015	298.0	308.0	10.0	0.087	0.904	90.8	93.9	3.0	2.99	31.00	0.099
2	LUGC15-015	317.0	318.0	1.0	0.599	1.897	96.6	96.9	0.3	20.53	65.03	0.623
2	LUGC15-015	325.0	333.0	8.0	0.093	0.732	99.1	101.5	2.4	3.17	25.11	0.102
2	LUGC15-017	116.0	121.0	5.0	0.159	0.501	35.4	36.9	1.5	5.45	17.18	0.165
2	LUGC15-017	248.0	252.0	4.0	0.092	0.094	75.6	76.8	1.2	3.15	3.22	0.093
2	LUGC15-017	256.0	261.0	5.0	0.199	0.499	78.0	79.6	1.5	6.82	17.11	0.205
2	LUGC15-017	478.0	483.0	5.0	0.528	7.100	145.7	147.2	1.5	18.10	243.40	0.619
2	LUGC15-020	15.0	20.0	5.0	0.113	0.086	4.6	6.1	1.5	3.87	2.95	0.114
3	LUGC15-018	90.0	95.0	5.0	0.092	0.609	27.4	29.0	1.5	3.15	20.88	0.100
3	LUGC15-018	166.5	174.5	8.0	0.096	2.451	50.7	53.2	2.4	3.30	84.02	0.128
3	LUGC15-018	181.5	185.0	3.5	0.479	1.100	55.3	56.4	1.1	16.42	37.71	0.493
3	LUGC15-018	194.0	198.0	4.0	0.092	1.205	59.1	60.4	1.2	3.15	41.31	0.107
3	LUGC15-018	225.0	228.0	3.0	0.094	2.360	68.6	69.5	0.9	3.22	80.91	0.124
3	LUGC15-018	232.5	242.5	10.0	0.094	4.220	70.9	73.9	3.0	3.23	144.67	0.148
3	LUGC15-018	270.0	275.0	5.0	0.131	2.882	82.3	83.8	1.5	4.49	98.80	0.168
3	LUGC15-021	173.0	182.5	9.5	0.159	1.188	52.7	55.6	2.9	5.43	40.74	0.174
3	LUGC15-021	203.0	204.0	1.0	0.344	1.080	61.9	62.2	0.3	11.79	37.02	0.358
3	LUGC15-021	217.0	218.0	1.0	0.347	1.755	66.1	66.4	0.3	11.90	60.16	0.370
3	LUGC15-021	238.0	243.0	5.0	0.160	0.508	72.5	74.1	1.5	5.47	17.42	0.166
3	LUGC15-021	258.0	263.0	5.0	0.346	0.315	78.6	80.2	1.5	11.86	10.80	0.350
3	LUGC15-021	306.5	311.0	4.5	0.112	0.223	93.4	94.8	1.4	3.84	7.64	0.115
3	LUGC15-025	77.0	87.0	10.0	0.143	1.564	23.5	26.5	3.0	4.90	53.60	0.163
3	LUGC15-025	102.0	107.0	5.0	0.110	0.356	31.1	32.6	1.5	3.77	12.20	0.115
3	LUGC15-028	120.0	128.0	8.0	0.109	2.790	36.6	39.0	2.4	3.72	95.63	0.144
3	LUGC15-034	85.5	98.5	13.0	0.743	2.140	26.1	30.0	4.0	25.47	73.35	0.770
3	Includes	85.5	93.0	7.5	0.977	2.428	26.1	28.3	2.3	33.48	83.24	1.008
3	LUGC15-034	104.0	113.0	9.0	0.148	1.663	31.7	34.4	2.7	5.06	57.00	0.169
3	LUGC15-034	138.0	152.0	14.0	0.441	1.908	42.1	46.3	4.3	15.13	65.40	0.466
3	Includes	138.0	144.0	6.0	0.287	1.212	42.1	43.9	1.8	9.84	41.55	0.303
3	Includes	149.0	152.0	3.0	1.209	3.542	45.4	46.3	0.9	41.45	121.43	1.254
4	LUGC15-011	53.0	58.0	5.0	0.386	0.320	16.2	17.7	1.5	13.23	10.97	0.390
4	LUGC15-011	217.0	220.0	3.0	0.158	2.615	66.1	67.1	0.9	5.42	89.65	0.192

Drill Bay	Hole	From (ft.)	To (ft.)	Interval (ft.)	Au opt ⁽¹⁾	Ag opt ⁽²⁾	From (m)	To (m)	Interval (m)	Au g/t	Ag g/t	AuEq Oz. ⁽³⁾
5	LUGC15-037	20.0	25.0	5.0	0.113	1.473	6.1	7.6	1.5	3.86	50.50	0.131
5	LUGC15-038	221.5	258.0	36.5	0.823	0.820	67.5	78.6	11.1	28.23	28.12	0.834
5	Includes	226.0	235.0	9.0	0.487	0.756	68.9	71.6	2.7	16.71	25.91	0.497
5	Includes	240.0	253.0	13.0	1.831	1.117	73.2	77.1	4.0	62.77	38.30	1.845
5	Includes	251.0	252.0	1.0	Void		76.5	76.8	0.3	Void		
5	LUGC15-040	7.0	8.0	1.0	0.626	1.493	2.1	2.4	0.3	21.46	51.18	0.645
5	LUGC15-040	194.5	200.0	5.5	0.290	2.407	59.3	61.0	1.7	9.94	82.51	0.321
5	Includes	194.5	197.5	3.0	0.340	3.900	59.3	60.2	0.9	11.66	133.70	0.390
5	LUGC15-040	223.5	228.0	4.5	0.531	0.507	68.1	69.5	1.4	18.20	17.38	0.538
5	LUGC15-040	252.0	265.5	13.5	0.154	0.130	76.8	80.9	4.1	5.29	4.45	0.156
5	LUGC16-042	5.0	10.0	5.0	0.240	7.500	1.5	3.0	1.5	8.23	257.11	0.336
							0.0	0.0	0.0			
5	LUGC16-044	106.0	111.0	5.0	0.098	2.284	32.3	33.8	1.5	3.36	78.30	0.127
5	LUGC16-044	116.0	120.0	4.0	0.094	1.908	35.4	36.6	1.2	3.22	65.41	0.118
5	LUGC16-044	161.0	167.0	6.0	0.178	1.936	49.1	50.9	1.8	6.10	66.36	0.203
6	LUGC15-029	62.0	63.0	1.0	1.598	16.200	18.9	19.2	0.3	54.78	555.37	1.806
6	LUGC15-032	233.0	237.5	4.5	0.102	1.896	71.0	72.4	1.4	3.50	65.00	0.126
6	LUGC15-032	247.0	253.0	6.0	0.173	2.909	75.3	77.1	1.8	5.93	99.72	0.210
6	Includes	250.5	253.0	2.5	0.299	3.600	76.4	77.1	0.8	10.25	123.41	0.345
6	LUGC15-032	263.0	300.0	37.0	0.429	1.217	80.2	91.4	11.3	14.72	41.73	0.445
6	Includes	263.0	270.0	7.0	1.116	2.496	80.2	82.3	2.1	38.26	85.55	1.148
6	Includes	286.0	294.0	8.0	0.668	1.141	87.2	89.6	2.4	22.88	39.13	0.682
6	LUGC15-039	170.5	185.0	14.5	0.092	1.835	52.0	56.4	4.4	3.16	62.92	0.116
6	LUGC15-039	212.0	216.5	4.5	0.100	0.359	64.6	66.0	1.4	3.43	12.29	0.105
6	LUGC15-039	224.0	248.0	24.0	0.184	0.500	68.3	75.6	7.3	6.29	17.14	0.190
6	Includes	234.0	237.0	3.0	0.414	0.671	71.3	72.2	0.9	14.19	23.00	0.423
6	LUGC16-043	156.0	163.5	7.5	0.157	0.488	47.5	49.8	2.3	5.38	16.72	0.163
6	LUGC16-043	175.0	188.0	13.0	0.323	0.700	53.3	57.3	4.0	11.08	24.01	0.332
6	Includes	181.0	188.0	7.0	0.506	0.668	55.2	57.3	2.1	17.35	22.89	0.515
6	LUGC16-043	198.0	218.0	20.0	0.384	0.858	60.4	66.4	6.1	13.17	29.41	0.395
6	Includes	198.0	213.0	15.0	0.473	0.865	60.4	64.9	4.6	16.22	29.65	0.484
6	LUGC16-045	61.0	66.0	5.0	0.091	0.309	18.6	20.1	1.5	3.12	10.59	0.095
6	LUGC16-045	145.0	149.0	4.0	0.126	0.887	44.2	45.4	1.2	4.32	30.39	0.137
6	LUGC16-047	92.0	95.0	3.0	0.894	0.280	28.0	29.0	0.9	30.65	9.60	0.898

Drill Bay	Hole	From (ft.)	To (ft.)	Interval (ft.)	Au opt ⁽¹⁾	Ag opt ⁽²⁾	From (m)	To (m)	Interval (m)	Au g/t	Ag g/t	AuEq Oz. ⁽³⁾
6	LUGC16-047	203.0	223.5	20.5	0.149	0.604	61.9	68.1	6.2	5.11	20.71	0.157
6	LUGC16-047	241.5	245.5	4.0	0.332	0.793	73.6	74.8	1.2	11.38	27.19	0.342
6	LUGC16-047	248.0	249.0	1.0	0.290	0.805	75.6	75.9	0.3	9.94	27.60	0.300
6	LUGC16-047	251.0	252.0	1.0	0.248	1.138	76.5	76.8	0.3	8.50	39.01	0.263
6	LUGC16-047	305.0	318.5	13.5	0.160	0.314	93.0	97.1	4.1	5.49	10.77	0.164
6	Includes	305.0	309.0	4.0	0.267	0.394	93.0	94.2	1.2	9.15	13.51	0.272
6	LUGC16-048	96.5	101.5	5.0	0.321	11.550	29.4	30.9	1.5	10.99	395.95	0.469
6	Includes	96.5	99.0	2.5	0.404	17.700	29.4	30.2	0.8	13.85	606.79	0.631
6	LUGC16-048	149.5	167.0	17.5	0.346	0.737	45.6	50.9	5.3	11.85	25.28	0.355
6	Includes	149.5	159.5	10.0	0.352	0.623	45.6	48.6	3.0	12.07	21.34	0.360
6	Includes	164.5	167.0	2.5	0.640	0.666	50.1	50.9	0.8	21.94	22.81	0.649
6	LUGC16-048	176.0	181.0	5.0	0.169	0.788	53.6	55.2	1.5	5.79	27.01	0.179
6	LUGC16-048	280.0	286.0	6.0	0.126	1.015	85.3	87.2	1.8	4.32	34.78	0.139
6	LUGC16-049	134.0	135.0	1.0	0.266	10.200	40.8	41.1	0.3	9.12	349.67	0.397
6	LUGC16-049	177.5	183.0	5.5	0.236	0.515	54.1	55.8	1.7	8.09	17.66	0.243
6	LUGC16-049	185.0	195.0	10.0	0.716	1.003	56.4	59.4	3.0	24.56	34.40	0.729
	Reported values are from American Assay Labs (AAL) and Inspectorate American Corporation (Inspect											
	AAL and Inspectorate lab methods include standard fire assay with ICP finish and gravimetric finish pe											